SECTION 2. FORMS PTO/SB/08A and 08B (formerly Form PTO-1449)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Bhat et al.

Application No.: 10/615,538

Group Art Unit: Not Yet Assigned

Filed: July 8, 2003

Examiner:

Not Yet Assigned

For: Method and Device for Bearing Seal Pressure Relief

LIST OF PATENTS AND PUBLICATIONS FOR APPLICANTS' INFORMATION DISCLOSURE STATEMENT United States Patents

| Ref. | U.S. Patent No. | Inventor | Issue Date | Exam. Init. | See Sec. 1 |
|------|--------------------|------------------------|---------------|----------------|---------------|
| 1 | 55,516 | Winans, W. L., et al. | Jun. 12, 1866 | anh. | |
| 2 | 120,222 | Van Emon, S. | Oct. 24, 1871 |) | |
| 3 | 124,805 | Fryer, R. | Mar. 19, 1872 | | |
| 4 | 321,313 | Pinkham, D. | Jun. 30, 1885 | | |
| 5 | 488,373 | Touch, J.E. | Dec. 20, 1892 | | |
| 6 | 646,406 | Anderson, C.A., et al. | Apr. 3, 1900 | | |
| 7 | 1,089,651 | Kovalavich, G. | Mar. 10, 1914 | | |
| 8 | 1,769,375 | Leary, J.C. | Jul. 1, 1930 | | |
| 9 | 1,831,574 | Norton, E.C. | Nov. 10, 1931 | | |
| 10 | 1,840,389 | Eubank, C.E. | Jan. 12, 1932 | | |
| 11 | 1,866,702 | Gehres, H.A. | Apr. 15, 1930 | | |
| 12 | 2,170,099 | Stubings, A.J. | Aug. 22, 1939 | | |
| 13 | 2,176,657 | Finch, J.L. | Oct. 17, 1939 | | |
| 14 | 2,289,984 | Mouromtseff et al. | July 14, 1942 | | |
| 15 | 2,337,294 | Cooper, J.H. | Dec. 21, 1943 | 1 | |
| 16 | 2,419,234 | Holihan, I.T. | Apr. 22, 1947 | | |
| 17 | 2,564,100 | Du Pré | Aug. 14, 1951 | THE | |

| C. C. STATE OF THE PARTY OF THE | U.S. Patent No. | Inventor | Issue Date | 1 | Exam. Init. | See Sec. 1 |
|--|--------------------|---------------------|-----------------|------------------|----------------|--|
| | 2, 595.457 | S. Holm et al. | May 6, 1952 | | aux | |
| 19 | 2,688,228 | De Brey,H. et al. | Sep. 7, 1954 | | 1 | |
| 20 | 3,059,418 | Johnston, R.D. | Oct. 23, 1962 | | | 1 |
| 21 | 3,293,480 | Green, E.G.,et al. | Dec. 20, 1966 | - - | | |
| 22 | 3,431,788 | De Pré, F.K.et al | Mar. 11, 1969 | | | |
| 23 | 3,742,578 | Dirne et al. | Jul. 3, 1973 | | - | |
| 24 | 3,775,973 | Hudson | Dec. 4, 1973 | | | |
| 25 | 3,782,457 | Troy | Jan. 1, 1974 | | | |
| 26 | 3,860,384 | Vulliet et al. | Jan. 14, 1975 | | | |
| 27 | 3,861,223 | Braun | Jan. 21, 1975 | | | |
| 28 | 3,924,477 | Portelance | Dec. 9, 1975 | | | |
| 29 | 3,940,933 | Nystrom | Mar. 2, 1976 | | | |
| 30 | 4,008,039 | Compton et al. | Feb. 15, 1977 | | | |
| 31 | 4,020,635 | Joynes et al. | May 3, 1977 | | | |
| 32 | 4,041,592 | Kelm | Aug. 16, 1977 | | | |
| 33 | 4,067,191 | Gronvall et al. | Jan. 10, 1978 | | | |
| 34 | 4,085,588 | Reams et al. | Apr.25, 1978 | | | |
| 35 | 4,169,692 | McDonough et al. | Oct. 2, 1979 | | - | |
| 36 | 4,172,363 | Bex | Oct. 30, 1979 | | | |
| 37 | 4,191,241 | Brennan | Mar. 4, 1980 | | | |
| 38 | 4,231,222 | Fenton | Nov. 4, 1980 | | | |
| 39 | 4,305,457 | Cozzolino | Dec. 15, 1981 | | | 1 |
| 40 | 4,313,080 | Park | Jan. 26, 1982 | | | |
| 41 | 4,330,260 | Jorgensen et al. | May 18, 1982 | | | 1 |
| 42 | 4,330,992 | Senft | May 25, 1982 | | | |
| 43 | 4,343,350 | Campbell et al. | August 10, 1982 | | + | |
| 44 | 4,445,570 | Retallick | May 1, 1984 | | | |
| 45 | 4,511,805 | Boy-Marcotte et al. | Apr. 16, 1985 | | | |
| 46 | 4,364,724 | Alpkvist | Dec. 21, 1982 | 47 | M | |

| LEB . | Refe | U.S. | Inventor | Issue | Exam. | See |
|-------|------|------------|-----------------|---------------|--|--|
| ATEM! | | Patent No. | Inventor | Date | Init. | Sec. 1 |
| | 47 | 4,384,457 | Harvey | May 24, 1983 | MI | |
| | 48 | 4,387,568 | Dineen | Jun. 14, 1983 |) | |
| | 49 | 4,413,475 | Moscrip | Nov. 8, 1983 | | |
| | 50 | 4,416,114 | Martini | Nov. 22, 1983 | | |
| | 51 . | 4,434,617 | Walsh | Mar. 6, 1984 | | |
| • | 52 | 4,442,670 | Goldman | Apr. 17, 1984 | | |
| | 53 | 4,527,394 | Corey | Jul. 9, 1985 | | |
| | 54 | 4,538,677 | Bódás, et al. | Sep. 3, 1985 | | |
| | 55 | 4,573,320 | Kralick ; | Mar. 4, 1986 | | |
| • | 56 | 4,633,667 | Watanabe et al. | Jan. 6, 1987 | | |
| | 57 | 4,662,176 | Fujiwara et al. | May 5, 1987 | | |
| | 58 | 4,676,202 | Johnson | Jun. 30, 1987 | | |
| | 59 | 4,736,586 | Kawajiri et al. | Apr. 12, 1988 | | |
| | 60 | 4,768,341 | Nozaki et al. | Sep. 6, 1988 | - | |
| | 61 | 4,824,149 | Reuchlein | Apr. 25, 1989 | | |
| | 62 | 4,881,372 | Naito | Nov. 21, 1989 | | |
| | 63 | 4,898,041 | Islas | Feb. 6, 1990 | ·. | |
| | 64 | 4,901,790 | Меіјег | Feb. 20, 1990 | | |
| | 65 | 4,996,841 | Meijer et al. | Mar. 5, 1991 | | 1 |
| ı | 66 | 4,824,149 | Reuchlein | Apr. 25, 1989 | | |
| | 67 | 4,881,372 | Naito | Nov. 21, 1989 | | |
| I | 68 | 4,898,041 | Islas | Feb. 6, 1990 | | |
| Į | 69 | 4,901,790 | Maijer | Feb. 20, 1990 | | |
| | 70 | 4,996,841 | Meijer et al. | Mar. 5, 1991 | | |
| | 71 | 4,977,742 | ,Meijer | Dec. 18, 1990 | . | _ |
| | 72 | 5,003,777 | Berchowitz | Apr. 2, 1991 | | |
| | 73 | 5,005,349 | Momose et al. | Apr. 9, 1991 | | |
| | 74 | 5,065,579 | Monahan | Nov. 19, 1991 | + + - | |
| | 75 | 5,074,114 | Meijer et al. | Dec. 24, 1991 | EMP | |

| Rec | U.S. Patent No. | Inventor | Issue Date | Exam. Init. | See Sec. 1 |
|-----|--------------------|-------------------|---------------|----------------|---------------|
| 76 | 5,095,701 | Nakano | Mar. 17, 1992 | aut | |
| 77 | 5,148,066 | Beale et al. | Sep. 15, 1992 | | |
| 78 | 5,174,117 | Naito et al. | Dec. 19, 1992 | | |
| 79 | 5,199,722 | Wada et al. | Apr. 6, 1993 | | 1 |
| 80 | 5,203,170 | Naito | Apr. 20, 1993 | | |
| 81 | 5,228,293 | Vitale | Jul. 20, 1993 | | |
| 82 | 5,590,526 | Cho | Jan. 7, 1997 | | |
| 83 | 5,441,401 | Yamaguro et al. | Aug. 15, 1995 | | |
| 84 | 5,494,135 | Brackett | Feb. 27, 1996 | | |
| 85 | 5,522,214 | Beckett et al. | Jun. 4, 1996 | | |
| 86 | 5,596,262 | Boll | Jan. 21, 1997 | | |
| 87 | 5,642,618 | Pennswick | Jul. 1, 1997 | | |
| 88 | 5,675,974 | Heikrodt et al. | Oct. 14, 1997 | | |
| 89 | 5,697,430 | Thors et al. | Dec. 16, 1997 | | |
| 90 | 5,735,681 | Cheng | Арт. 7, 1998 | | |
| 91 | 5,743,091 | Penswick et al. | Apr. 28, 1998 | | |
| 92 | 5,755,100 | Lamos | May 26, 1998 | | |
| 93 | 5,761,985 | Stoll | Jun. 9, 1998 | | |
| 94 | 5,771,694 | Houtman et al. | Jun. 30, 1998 | | |
| 95 | 5,786,640 | Sakai et al. | Jul 18, 1998 | | |
| 96 | 5,864,770 | Ziph et al. | Jan. 26, 1999 | | |
| 97 | 5,804,947 | Nii et al. | Sep. 8, 1998 | | |
| 98 | 5,875,863 | Jarvis et al. | Mar. 2, 1999 | | |
| 99 | 5,878,570 | Reithofer | Mar. 9, 1999 | | |
| 100 | 5,881,800 | Chung | Mar. 16, 1999 | | |
| 101 | 5,920,133 | Penswick et al. | Jul. 6, 1999 | | |
| 102 | 5,921,764 | Marchionna et al. | Jul. 13, 1999 | 1) | |
| 103 | 5,929,538 | O'Sullivan et al. | Jul. 27, 1999 | | |
| 104 | 5,945,808 | Kikuchi et al. | Aug. 31, 1999 | <i>aul</i> | |

| Villa S | | | | | |
|---------|--------------------|-------------------|---------------|----------------|---------------|
| Ref. | U.S. Patent No. | Inventor | Issue Date | Exam. Init. | See Sec. 1 |
| 105 | 5,952,813 | Ochiai | Sep. 14, 1999 | AN | |
| 106 | 5,954,039 | Doering et al. | Sep. 21, 1999 | 1 | |
| 107 | 6,050,092 | Genstler et al. | Apr. 18, 2000 | | # |
| 108 | 6,062,023 | Kerwin et al. | May 16, 2000 | | |
| 109 | 6,161,381 | Lohrmann | Dec. 19, 2000 | | |
| 110 | 6,161,610 | Azar | Dec. 19, 2000 | | |
| 111 | 6,247,310 B1 | Norris et al. | Jun. 19, 2001 | | # |
| 112 | 6,253,550 B1 | Langenfeld et al. | Jul. 3, 2001 | | # |
| 113 | 6,347,453 B1 | Mitchell | Feb. 19, 2002 | | |
| 114 | 6,381,958 B1 | Kamen et al. | May 7, 2002 | | # |
| 115 | 6,543,215 B2 | Langenfeld et al. | Apr. 8, 2003 | m | # |

Foreign Patent Documents

| Examiner Initials | Reference Number | Document Number | Issue Date | Country | See Sec. 1 |
|----------------------|---------------------|-------------------|---------------|-------------|---------------|
| ant. | 116 | 395374 | Jul. 12, 1933 | Gr. Britain | |
| MA. | 117 | 445033 | May 28, 1927 | Germany | |
| art. | 118 | 500313 | 18 Nov. 1954 | Italy | |
| met. | 119 | 675,161 | Jul. 9, 1952 | Netherlands | |
| m. | 120 | 689,484 | Mar. 25, 1953 | Netherlands | 1 |
| and | 121 | 704,002 | Feb. 17, 1954 | Netherlands | |
| met. | 122 | 892,962 | Apr. 4, 1962 | Netherlands | |
| MA | 123 | 1,063,612 | 16 Dec. 1953 | France | |
| mt. | 124 | 1,528,714 | 8 Mar. 1977 | Germany | |
| Mr. | 125 | DE 35 00 124 A1 | 10 Jul. 1986 | Germany | |
| BUT. | 126 | DE 37 34 009 A1 | 8 Oct. 1987 | Germany | |
| gas - | 127 | DE 39 34 545 A1 | 2 May 1991 | Germany | |
| pall 1 | 128 | DE 40 18 943 A1 | 19 Dec. 1991 | Germany | |
| The 1 | 129 | DE 41 02 306 A1 | 6 Aug 1992 | Germany | |
| Mit. | 130 | DE 42 05 283 A1 | 26 Aug 1993 | Germany | 1 |
| tall. | 131 | DE 42 19 583 A1 | 16 Dec. 1993 | Germany | |
| gall - | 132 | DE 43 08 888 A1 | 22 Jul. 994 | Germany | |
| JAL. | 133 | DE 295 20 864 U 1 | 23 May 1996 | Germany | |
| 942 1 | 134 | DE 198 20 192 A1 | 26 Nov. 1998 | Germany | |
| Me : | 135 | EP 0 458 115 A1 | 06 May 1991 | Europe | |

| . ' | 1019 | | | | |
|-----|---------|-------|-----------------|---------------|---------|
| ſ | ATTE | 136 | EP 0 607 154 B1 | 09 July 1992 | Europe |
| - | Egyll ? | 137 | FR 2 067 119 | 20 Aug. 1971 | France |
| , | and 3 | 138 | FR 2 609 154 | 26 Jul 1988 | France |
| | MA | 139 ' | FR 2 721 982 | 30 Jun 1994 | France |
| 11 | I RA | 140 | G 84 11 960.8 | 25 Aug. 1988 | Germany |
| | MIL | 141 | JP 02021123 | 24 Jan.1990 | Japan |
| ſ | THE | 142 | JP 02091463 | 30 Mar. 1990 | Japan |
| | 1141 | 143 | JP 02256856 | 17 Oct. 1990 | Japan |
| | styl. | 144 | JP 03009058 | 16 Jan. 91 | Japan |
| ſ | THE | 145 | JP 04347410 | 02 Dec. 1992 | Japan |
| | WH | 146 | JP 61128024 | 16 Jun. 1986 | Japan · |
| | THE | 147 | JP 63068759 | 28 March 1988 | Japan |
| | 94 | 148 | JP 07151402 | 16 June 1995 | Japan |
| | ANT. | 149 | JP 07293334 | 07 Nov. 1995 | Japan |
| | 2141 | 150 | JP 09015197 | 17 Jan 1997 | Japan |
| | ma | 151 | JP 56-133597 | 19 Oct. 1981 | Japan |
| | ens | 152 | JP 55037540 | 15 Mar. 1980 | Japan |
| | 2042 | 153 | JP 58117995 | 13 Jul. 1983 | Japan |
| | TRIA | 154 | JP 58-25556 | 08 Aug. 1981 | Japan |
| | M | 155 | WO 00/79114 A1 | 28 Dec. 2000 | PCT |
| | THE | 156 | WO 90/08891 | 9 Aug. 1990 | PCT |
| | WH | 157 | WO 91/05949 | 2 May 1991 | PCT |
| | in the | 158 | WO 99/40310 | 12 Aug 1999 | PCT |

Other Documents

| | Ref. | Non-Patent | See | Exam |
|-------|------|---|--------|-------|
| | No. | References | Sec. 1 | Init. |
| MA | 159 | Eder, F., Apparatus for Heat Transfer at Elevated Temperature, to the Working Medium of a Regenerative Thermal Engine (or "energy engine"). | • | ANL |
| great | 160 | Hargreaves, "The Regnerator":, The Phillip's Stirling Engine, 1991 | - | me |
| ARIF. | 161 | AAVID Thermal Technolgies, Inc., Product Selection Guide, Jan. 1996 | | ML. |
| PAR | 162 | Fleming, F. et al, Rapid Recharge Capability of Valve Regulated Lead Acid Batteries for EV & HEV Applications. | | MUL |
| pan | 163 | Anderson, C. et al., The Effects of APU Characteristics on the Design of Hybrid Control Strategies for Hybrid Electric Vehicles, SAE Technical Paper Serie, Feb. 27- Mar. 2, 1995 | | M |
| mur | 164 | Dickinson, et al., Performance, Management and Testing Requirement for Hybrid Electric Vehicle Batteries, SAE Technical Paper Series, August 11-13, 199165 | | m |

| A F OC. | Ref. No. | Non-Patent References | See Sec. 1 | Exam Init. |
|---|-------------|---|---------------|---------------|
| to I'v | 165 | Hochgraf, C., et al, Engine Control Strategy for a Series Hybrid Electric Vehicle Incorporating Load-Leveling and Computer Controlled Energy Management, SAE Technical Paper Series, Feb. 26-29, 1996 | | apri |
| WALL TO THE PARTY OF THE PARTY | 166 | Oman, H., New Energy Management Technology Gives Hybrid Cars Long Battery Life, SAE Technical Paper Series, Aug. 2-5, 1999 | | ARI2 |
| AL | 167 | Hobbs, R. Development of Optimized Fast Charge Algorithms for Lead Acid Batteries, <u>SAE Technical Paper Series</u> , Mar. 1-4, 1999 | | ak |
| nest- | 168 | Wiegman, H., Battery State Control Techniques for Charge Sustaining Applications, SAE Technical Paper Series, Feb. 23-26, 1998 | | me |

Examiner Signature:

Date Considered:

NOTE FOR EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance AND not considered. Include copy of this form with next communication to applicant.